







Tracking AMR Country Self Assessment Survey (TrACSS) 2023 Country Report

Kazakhstan



WORLD BANK INCOME CLASSIFICATION:

Upper middle income

POPULATION:

19 621 972

Antimicrobial resistance (AMR) occurs when pathogens become resistant to the drugs that were used against them, making infections harder and more expensive to treat. It is one of the top global threats currently facing the world, endangering the achievement of the Sustainable Development Goals linked to health, poverty, food security and the environment, among others. Recent evidence shows that global deaths associated with AMR reached nearly 5 million in 2019, of which 1.27 million deaths were directly caused by drug-resistant bacteria.

In response to this growing challenge, countries adopted the Global Action Plan on AMR (GAP AMR) through resolutions in the World Health Assembly in 2015, the FAO Governing Conference, and the WOAH (founded as OIE) World Assembly, with further endorsement in the United Nations General Assembly in 2016. In 2017, GAP-AMR was also welcomed by the UN Environment Programme's governing body, the UN Environment Assembly. By adopting GAP-AMR, countries pledged to develop and implement AMR national action plans (AMR NAPs). The Tracking AMR Country Self-Assessment Survey

(TrACSS) monitors the implementation of these AMR national action plans and is administered annually. TrACSS is currently in its seventh iteration, which saw the highest response rate yet with 177 of 194 (91%) countries participating in the survey.

Globally, the data from TrACSS indicates that progress has been uneven and very slow in a number of critical areas. Urgent action is needed to strengthen political commitment and investment in and across all relevant sectors, build technical capacity, prioritize, implement and monitor AMR NAPs, enhance targeted awareness and training on AMR, and strengthen multisectoral coordination and accountability. This report focuses on the results of the 2023 TrACSS country submission, provides a 5-year overview of country TrACSS responses, and benchmarks country responses against global levels on key AMR indicators by sector. There are also key messages on actions countries can take in human health, animal health (terrestrial and aquatic), food and agriculture, and environment sectors to prevent the rise and spread of AMR.

AMR National Action Plan Governance

SUMMARY OF MULTISECTOR INDICATORS IN 2023	SECTORS INVOLVED IN AMR MULTISECTOR COORDINATION
Country has formalized multisector coordination — mechanism on AMR	✓ Human Health — ✓
	Terrestrial Animal Health — 🗸
Country has developed NAP AMR	Aquatic Animal Health — X
Country is implementing NAP AMR —	/ Aquadic Annial Nedicin
	Plant Health — 💢
Country in the process of revising the NAP AMR or	Food Production — X
developing a new one	Food Production — X
Country has a monitoring and evaluation plan for	Food Safety — ✓
the NAP AMR	
Country has government supported nationwide —	Environment — X
AMR awareness campaigns	
Country has established or starting the implementation	
Country has established or starting the implementation ——— of an Integrated Surveillance System for AMR	,









Kazakhstan

Human Health

none limited B developed demonstrated


sustained

TrACSS asks for a rating of national capacity and progress on a five-point scale (A to E), with the levels A-B representing limited capacity, and levels C-E representing nationwide implementation for most indicators. Countries should be aiming to reach levels C-E on all indicators.

Comparison of global average versus country's responses

Distance visualization between a country's response and global averages

Global • Country •



TrACSS 2023, global data are averages, countries without data removed

The country dot is the answer provided by the country to the questionnaire. The global average is computed using numerical values assigned to the categories (A = 1, B = 2, ...), summed, and simply divided by the number of countries that participated in the 2023 TrACSS.

Human health key messages

When developing, implementing, and monitoring their AMR NAPs, countries should ensure no one is left behind and consider gender, equity, disability, and needs of vulnerable populations in their national plans. While a multisectoral approach is needed to ensure effective implementation of AMR NAPs, targeted sector specific efforts are also required to address critical gaps in the following areas.

Training on AMR — Systematically incorporating AMR into training curricula (both pre-service and in-service) of healthcare workers is an important intervention towards increasing AMR awareness and antimicrobial stewardship in this key stakeholder group.

Monitoring system for antimicrobial

consumption — Little progress has been seen globally on this indicator for the past few years. Establishing a robust national monitoring system for antimicrobial use/consumption (AMU/AMC) in humans is essential for monitoring data on prescription, sales and use of antimicrobials and enforcement of legislation.

IPC — A national IPC programme that is implemented nationwide in healthcare facilities is necessary to strengthen country capacity for preventing infections. Improved water, sanitation and hygiene (WASH) in healthcare facilities and in the community and strengthened routine immunization efforts are also integral in addressing AMR.

Optimizing use of antimicrobials in human

health — Developing and implementing national guidelines for antimicrobial use and stewardship, as well as adopting AWaRE classification of antibiotics into National Essential Medicines List, are necessary steps towards ensuring optimal use and access of antimicrobials.

Lab and diagnostics — Strengthening lab and diagnostic capacity, including quality assurance and uninterrupted supply of consumables, is essential for patient management and the collection of AMR surveillance data. This data can be used to revise treatment guidelines, strengthen IPC measures in healthcare facilities, and strengthen antimicrobial stewardship efforts.









Kazakhstan

Animal Health

capacity none limited developed demonstrated

sustained

TrACSS asks for a rating of national capacity and progress on a five-point scale (A to E), with the levels A-B representing limited capacity, and levels C-E representing nationwide implementation for most indicators. Countries should be aiming to reach levels C-E on all indicators.

Comparison of global average versus country's responses

Distance visualization between a country's response and global averages

Global • Country

D


Training and professional education on AMR in the veterinary sector

Training and professional education on AMR in the aquatic animal health sector

> National surveillance system for antimicrobial resistance (AMR) in live terrestrial animals

> National surveillance system for antimicrobial resistance (AMR) in live aquatic animals

Effective integration of laboratories in AMR surveillance in the animal health and food safety sectors



TrACSS 2023, global data are averages, countries without data removed

The country dot is the answer provided by the country to the questionnaire. The global average is computed using numerical values assigned to the categories (A = 1, B = 2, ...), summed, and simply divided by the number of countries that participated in the 2023 TrACSS.

Animal health key messages

Global efforts in the veterinary and aquatic animal health sectors are important in respect of training and education, national surveillance systems, and integration of laboratories that perform antimicrobial susceptibility testing (AST).

Training and professional education on AMR —

For educational institutions in most countries, AMR and prudent use of antimicrobial agents is covered in the core curricula for graduating veterinarians, aquatic animal health professionals, and for veterinary paraprofessionals. In the veterinary and aquatic animal health sector, efforts should be oriented to have these subjects covered in their core curricula as a formal requirement.

National surveillance system for AMR and AMU

- In most countries, some AMR data is collected at the local level, but a nationally standardized approach is not used in either the veterinary or the aquatic animal health sector. There is a need to identify at least one suitable pathogenic/ commensal bacterial species from both terrestrial and aquatic animals for AMR surveillance at a national level, involving laboratories that follow quality management processes. WOAH has upgraded their ANIMUSE Global database into an online system, enabling easier data reporting, analysis and visualisation. This enables countries to better use their data for actions enhancing more responsible use of antimicrobials in animals. Countries should send their reports to the ANIMUSE platform, which

contains an interactive report for the public and a private portal for countries to submit and analyse their data. Resources are needed by countries to institutionalise this key surveillance component into their national systems.

Effective integration of laboratories in AMR surveillance - In most countries, only some laboratories that perform AST to bacteria isolated from animals and food are integrated into a national AMR surveillance system. There is a need for full laboratory participation coordinated by a National Reference Laboratory.









Kazakhstan

Food and agriculture

TrACSS asks for a rating of national capacity and progress on a five-point scale (A to E), with the levels A-B representing limited capacity, and levels C-E representing nationwide implementation for most indicators. Countries should be aiming to reach levels C-E on all indicators.

capacity

none limited developed demonstrated

onstrated D sustained E

Comparison of global average versus country's responses

Distance visualization between a country's response and global averages


Global • Country •

Training and professional education on AMR in agriculture, food and environment sectors

Biosecurity and good animal husbandry practices to reduce antimicrobial use and AMR in terrestrial animal production

Biosecurity and good animal husbandry practices to reduce antimicrobial use and AMR in aquatic animal production

Effective integration of laboratories in AMR surveillance in the animal health and food safety sectors



TrACSS 2023, global data are averages, countries without data removed

The country dot is the answer provided by the country to the questionnaire. The global average is computed using numerical values assigned to the categories (A = 1, B = 2, ...), summed, and simply divided by the number of countries that participated in the 2023 TrACSS.

Food and agriculture key messages

Awareness raising and professional training —

More effort and investment are required on AMR training and education in the sectors of food production (plants, aquatic and terrestrial animals), food safety and their environmental aspects for more sustainable AMR action.

Interventions should also aim to transition from awareness to adaptation and behaviour change.

Data on AMR and AMU surveillance in Agri-food

systems — The need is crucial for the regular generation and analysis of comparable AMR and AMU data from the food and agriculture system, including monitoring antimicrobial use in plants and crops, to inform decision making, trends and appropriate actions to control and minimize the development and spread of resistance. FAO has

finalized the International FAO AMR Monitoring (InFARM) platform and is finalizing its development in preparation for an open call for data in 2024 when all countries will be invited to share data into the platform. The platform will support countries in the collection, analysis, interpretation and use of AMR data in food and agriculture for informing the development and monitoring of interventions against AMR.

Enabling good practices and prudent use of antimicrobials — Ensuring legal support and access for biosecurity, preventive measures and techniques that aim to reduce antimicrobial use across the food and agriculture systems, from farm to folk, is key in mitigating AMR risk and ensuring a One Health approach to AMR

management. FAO has developed the Reduce the Need for Antimicrobials on Farms (RENOFARM) initiative and initiated pilot activities in selected countries. The initiative seeks to engage the entire production chain in a collective effort to strengthen capacities at primary production level through use of science and innovative technologies, strengthened public-private partnerships, and collaboration with the FAO Hand-in-Hand Initiative. In collaboration with the quadripartite, FAO is also working on a One Health Legislative Assessment tool on AMR that will support countries in assessing their legal and institutional systems for supporting AMR work, including the institutionalization of good practices.










Kazakhstan

Environment



Environment key messages

One Health Response — Environment has received limited attention in tackling AMR, but evidence shows that the environment plays a key role in the development, transmission and spread of AMR. Further and more coordinated action, with a focus on prevention, needs to be taken to limit the role of the environment in mediating, driving and causing AMR. Therefore, for a One Health response to AMR, its environmental dimensions need to be included in National Action Plans on Antimicrobial Resistance.

Risk assessments and legislation — It is crucial to have robust legal and regulatory frameworks that prevent the risk of AMR addressing the drivers and factors with an impact on environmental dimensions of AMR. Assessing pollution impact, for example through risk assessments, to prevent selection for and

further spread of resistance in the environment can help inform legislation and policy. Key pollution sources are included in environmental questions - section 6. Places where risk assessments to better inform policy and legislation may want to be considered include: treatment of human sewage; wastewater discharges from health facilities; management of solid and clinical waste from health facilities; landfill management; disposal of antimicrobial agents used in human and animal medicine; discharges intensive terrestrial and aquatic animal production; discharges from antimicrobial manufacturing sites; disposal of food, plant or animal products contaminated with antimicrobial residues; runoff and solid waste from slaughterhouses traditional markets and food processing plants; liquid and solid waste from intensive terrestrial and aquatic animal production, or human solid wastes prior

to use in agriculture; overspray drift and leaching following pesticide and fertilizer applications; transnational and intercontinental transport and movement of food, goods, live animals and people; as well as storm runoff, wastewater treatment plant overflow failures in the case of severe weather and flooding events.

Water quality — Water bodies and their sediments that receive pollution are more likely to harbour resistant microorganisms and can be a source of AMR within the environment. Preventing biological and chemical pollution is imperative. Improvements to integrated water management for better water quality may want to further include surveillance systems that carefully monitor antimicrobial residues, as well as detection of resistant genes (ARGs).









Kazakhstan

Overview of country responses to 2019 - 2023 TrACSS Questionnaire

capacity			observations
none limited	A B	Y	yes
developed	<u>ق</u>	2	no don't know
demonstrated	D	Ø	no data
sustained	E		question not asked this year

2019 2020 2021 2022 **2023**

One Health

2.1	Multisector and One Health collaboration/coordination		_ <mark>C</mark> _	-D $-$	_ <mark>C</mark> _	<u> </u>
2.3	Country progress with development of a national action plan on AMR	C -	_ <mark>C</mark> _	D	_ <mark>C</mark> _	— <mark>C</mark> -
2.9	Raising awarness and understanding of AMR risks and response	D	_ <mark>C</mark> _	_ <mark>C</mark> _	_ <mark>C</mark> _	
2.10	Youth education and AMR - do school-going children and youth receive	- • -	- • -	- • -	N	<u>N</u> -

Human Health

3.1	Training and professional education on AMR in the human health sector	C	C	C	B	
3.2	National monitoring system for consumption and rational use of antimicrobials in human health	A	D	D	- <mark>C</mark> -	<u> </u>
3.3	National surveillance system for antimicrobial resistance (AMR) in humans		_ <mark>C</mark> _	_ <u>D</u> _	D	<u>B</u> -
3.5	Infection Prevention and Control (IPC) in human health care	_ <mark>C</mark> _	_ <mark>C</mark> _	D	_ <mark>C</mark> _	E
3.6	Optimizing antimicrobial use in human health	_ <mark>C</mark> _	_ <mark>C</mark> _	E	_ <mark>C</mark> _	
3.7	Adoption of "AWaRe" classification of antibiotics in the National Essential Medicines ————————————————————————————————————	- • -	D	B	D	D

Labs and diagnostics

- 3.4.2 Capacity to perform antibiotic susceptibility testing (AST) for critically important bacteria

 Yes, the country has one or more reference lab/s performing susceptibility testing for some of the bacteria listed;
- 3.4.5 Continuity of services for clinical bacteriology labs mechanism to report stockouts

 No, each bacteriology laboratory manages stockout without compulsory reporting
- 3.4.6 Standardized AST guidelines used by National Reference Laboratory (NRBL) and clinical labs in public health system

 The NRBL and all clinical bacteriology laboratories use standardized AST guidelines
- 3.4.7 Does the country have an external quality assurance EQA programme and to what extent it is implemented?

 A national external quality assurance (EQA) system is compulsory and/or implemented in some bacteriology labs in the country, including the National Bacteriology Reference Laboratory (e.g. those enrolled in the national AMR surveillance system)









Kazakhstan

Overview of country responses to 2019 - 2023 TrACSS Questionnaire

capacity	
none	A
limited	B
developed	C
demonstrated	D
sustained	Ε

	observations
Y	yes
N	no
?	don't know
Ø	no data
	question not asked this year

2019 2020 2021 2022 2023

Animal Health

4.1	Training and professional education on AMR in the veterinary sector	_ <mark>C</mark> _	_ <mark>C</mark> _	_ <mark>C</mark> _	A	A -
4.2	Training and professional education on AMR in the aquatic animal health sector —	- • -	-•-	_ • _	A	A
4.3	Progress with strengthening veterinary services		D	D	B	
4.4	Progress with strengthening aquatic animal health services	- • -	- • -	-•-	Ø	
4.5 á	Country has national plan/system in place for monitoring sales/use of antimicrobials in animals.	— No				
4.7	National surveillance system for antimicrobial resistance (AMR) in live terrestrial animals	- • -	- • -	_ • _	B	
4.8	National surveillance system for antimicrobial resistance (AMR) in live aquatic animals	-•-	-•-	-• -	A	_ <mark>B</mark> -
4.9	Biosecurity and good animal husbandry practices to reduce the use of antimicrobials and minimize development and transmission of AMR in terrestrial animal production	- • -	•	•	B	B_
4.10	Biosecurity and good animal husbandry practices to reduce the use of antimicrobials and minimize development and transmission of AMR in aquatic animal production	- • -	-•-	-•-	Ø	B-
4.11	Optimizing antimicrobial use in terrestrial animal health	- • -	_ • _	- • -	B	B-
4.12	Optimizing antimicrobial use in aquatic animal health ————————————————————————————————————	_ • _	_ • _	_ • _	Ø	









Kazakhstan

Overview of country responses to 2019 - 2023 TrACSS Questionnaire

A
B
C
D
E

observations y yes no don't know no data question not asked this year

2019 2020 2021 2022 **2023**

Food and Agriculture

5.1	Training and professional education on AMR provided to the agriculture (animal and plant), food production, food safety and the environment sectors	C	A	A	B	A
5.3	National surveillance system for (AMR) in food (terrestrial and aquatic animal and ———————————————————————————————————	•	<u>C</u>	D	B	B-
5.4.a	Effective integration of laboratories in AMR surveillance in the animal health and food safety sectors	•	•	- •	B	-B-
5.4.b	Level of the standardization and harmonization of procedures among laboratories ————————————————————————————————————	•	- •	•	D	D
5.4.c	Relevance of diagnostic (bacteriology) techniques used by laboratories included in the AMR surveillance system in the animal health and food safety sectors	•	•	- •	D	D
5.4.d	Technical level of data management of the laboratory network in the AMR ———————————————————————————————————	- •	- •	- •	- <u>B</u> -	<mark>С</mark> -
5.5	Good manufacturing and hygiene practices to reduce the development and transmission of AMR in food processing	<u>C</u>	B	B	B	-B-
5.6	Optimizing antimicrobial pesticide such as bactericides and fungicides use in plant	- •	- B	Ø	Ø	Ø

Environment

production

(ARGs) in water quality

6.1 Country has in place a national assessment of risks for residues of antimicrobial compounds and antimicrobial resistant pathogens in the environment

6.2 Country has legislation and/or regulation to prevent contamination of the environment with antimicrobials – antimicrobial compounds and their metabolites discharged to the environment

6.3 Country has a system for regular monitoring of antimicrobial compounds and their metabolites (or residues) and resistant bacteria or antimicrobial resistance genes









Kazakhstan

Overview of country responses to 2019 - 2023 TrACSS Questionnaire

capacity	
none	A
limited	B
developed	C
demonstrated	D
sustained	Ε

	observations
Y	yes
N	no
?	don't know
Ø	no data
	question not asked this year

2019 2020 2021 2022 2023

Legislation and Data Use (Y/N)

2.8.1 Country has laws or regulations on prescription and sale of antimicrobials, for human use	Y	Y	Y	Y	Y
2.8.2 Country has laws or regulations on prescription and sale of antimicrobials for terrestrial animal use	•	_ • _	- • -	N	N-
2.8.3 Country has laws or regulations on prescription and sale of antimicrobials for aquatic animal use	•	— • —	•	N	<u>N</u> -
2.8.4 Country has laws or regulations on prescription and sale of medicated feed	•	_ • _	_ • -	N	<u>N</u> -
2.8.5 Country has laws or regulations that prohibits the use of antibiotics for growth ————————————————————————————————————	•	_ • _	_ • _	N	<u>N</u> -
2.8.6 Country has legislation on the registration and use of applicable pesticides with antimicrobial effects, such as bactericides and fungicides used in plant production	•	_ • _	- • -	<u>N</u>	<u>N</u> -
2.11 Country is using relevant antimicrobial consumption/use data to inform operational — decision making and amend policies	•	_ • _	_ • _	Y	Y
2.12 Country is using relevant antimicrobial resistance surveillance data to inform — operational decision making and amend policies	•	— • —	— • —	Υ	Y
2.13 Country has established or is starting the implementation of an Integrated Surveillance System for Antimicrobial Resistance	•	_ • _	_ • _	Υ	Y









Kazakhstan

Conclusion

Countries report facing limited financial and human resources, technical capacity and inconsistent political commitment as key challenges with implementation of their AMR NAPs. Global analysis of TrACSS indicators also shows there is a lack of a programmatic approach to NAP implementation with a focus on ad-hoc interventions, showcased by certain indicators having more progress over the years, while others have seen little to no progress.

NAP AMR — Countries have made commendable strides in developing their multisectoral AMR national action plans, but need to ensure that AMR NAPs have been prioritized, costed, and have an operational plan with monitoring in place, for successful implementation.

Furthermore, to ensure its sustainability, AMR national planning should also be integrated into existing national strategies and budgets, including those of One Health strategy, WASH, both human and animal health systems strengthening, health security, development plans, food safety, agriculture, climate change etc.

Multisectoral coordination on AMR — Countries need to build leadership capacity to ensure the balanced participation and effective functioning of AMR multisectoral coordination structures. These structures are accountable for AMR NAP prioritization, implementation, and monitoring, through periodic review of data, including from TrACSS; only 56% (n=99) of countries report using TrACSS to monitor their progress on AMR NAP implementation. A formalized AMR multisectoral coordination mechanism with dedicated leadership, clear terms of reference, technical working groups, and adequate funding for group activities is needed to create a solid foundation for sustainable AMR NAP implementation and AMR advocacy in the country.

AMR awareness — AMR is everyone's business. Nationwide AMR awareness campaigns for the public and for targeted stakeholders are needed to ensure everyone understands the burden and threat of AMR and the importance of taking appropriate actions to reduce the risk of AMR. Utilizing personal narratives might resonate more with the public rather than simply focusing

on 'drugs and bugs' messaging. Youth education on AMR is also good intervention that can lead to increased awareness of AMR in the general public – only 20% (n=38) of countries report having this intervention in place.

Enhance data quality/use — whenever available, countries should use relevant national/local data on AMR and AMC/ AMU to inform operational decision making and policies.

Around 68% (n=121) of countries reported using AMR data, to inform decision making, compared to 63% (n=112) who reported using AMC data.

Increasing the monitoring and enforcement of legislation involving antimicrobials — there is a discrepancy between countries reporting having legislation on prescription and sale of antimicrobials and those with ability to monitor prescription/sale. The ability to monitor antimicrobial sale/use and utilize this data to enforce legislation on antimicrobial sale/use will be a key intervention for antimicrobial stewardship. These systems are essential for guiding antimicrobial stewardship in all sectors.

uman ealth

WHO AMR resource pack

https://www.who.int/activities/supportingcountries-with-national-action-planimplementation WHO implementation handbook for NAPs on

https://www.who.int/teams/surveillanceprevention-control-AMR/nap-amrimplementation-handbook TrACSS Database

TrACSS

https://amrcountryprogress.org

Email

tracss@who.int

Sixth Annual Report on Antimicrobial Agents Intended for Use in Animals

https://www.woah.org/en/document/annualreport-on-antimicrobial-agents-intended-foruse-in-animals/ List of Antimicrobial Agents of Veterinary Importance - WOAH - World Organisation for Animal Health

https://www.woah.org/en/document/list-ofantimicrobial-agents-of-veterinary-importance/ Terrestrial and Aquatic Codes: Specially, Chapter 6.10 terrestrial and 6.2 aquatic about prudent and responsible AMU

https://www.woah.org/en/what-we-do/standards/codes-and-manuals/#ui-id-3

FAO Progressive Management Pathway for Antimicrobial Resistance (FAO-PMP-AMR) https://www.fao.org/antimicrobial-resistance/

resources/tools/fao-pmp-amr/en/

Surveillance Systems (FAO-ATLASS)
https://www.fao.org/antimicrobial-resistance/
resources/tools/fao-atlass/en/

FAO Assessment Tool for Laboratories and AMR

FAO AMRLEX; laws, regulations and policies relevant to combat antimicrobial resistance https://amr-lex.fao.org/main/profile/en

Summary for Policymakers - Environmental Dimensions of Antimicrobial Resistance - UNEP -UN Environment Programme

https://www.unep.org/resources/report/ summary-policymakers-environmentaldimensions-antimicrobial-resistance Antimicrobial Resistance in the Environment -Webinar Series - UNEP - UN Environment Programme

https://www.unep.org/events/webinar/ antimicrobial-resistance-environment-webinarseries